

Manufacturer	Appliance	Model	Exempt When Burning	Statutory Instruments
Air Plants (Sales) Limited	Wood Chip Fired Air Heater		Clean wood waste of a size within the limits referred to in the manufacturer's instructions	SIs
Air Pollution Engineering Limited	APE Saffire Boiler	in sizes expressed as BTUs per hour as 1M to 8M10M12M	Sawdust or shavings, mixtures of sawdust, shavings and offcuts, being fuel containing not more than 1 % by weight of plastic material	SIs
Apollo Incineration Systems Limited	Apollo incinerator	10, 25, 50	Wood, wood shavings, cardboard, polythene	SIs
B9 Energy Biomass Limited	B9 Wood Chip Gasifier		Untreated wood chips, shredded wood or other small untreated pieces of wood	SIs
Babcock Robey Limited	Babcock Worsley Fluidised Bed Combuster		Waste derived fuel recommended in the manufacturer's instructions	SIs
Beech Wood Fired Ovens, Brisbane, Australia	The Beech Wood Fired Pizza Oven		Untreated dry hardwood	SIs
Binder Gesellschaft mit beschränkter Haftung (GmbH)	The Binder Wood Fired Boiler	RRK 130-250 (185-230 kW output), RRK 200-350 (250-300 kW output), RRK 400-600 (350-500 kW output) and RRK 640-850 (650-840 kW output) all with cyclone model type ZA	Wood pellets or wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.	SIs
Binder Gesellschaft mit beschränkter Haftung (GmbH)	The Binder Wood Fired Boiler	RRK 22 - 49 (49 kW output)	Wood pellets or wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.	SIs

Binder Gesellschaft mit beschränkter Haftung (GmbH)	The Binder Wood Fired Boiler	RRK 80 - 175 (75 - 149 kW output) with cyclone models ZA 80 - 175	Wood pellets or wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.	SIs
Binder Gesellschaft mit beschränkter Haftung (GmbH)	The Binder Wood Fired Boiler	The Binder Wood Fired Boiler model RRK 1000 (1200 kW output) with multi-cyclone model MZA	Wood pellets or wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.	SIs
CBR Engineers Limited	Turbo Heat	1000, 1200	Hardwood offcuts, softwood offcuts, chipboard offcuts, plastic coated chipboard offcuts	SIs
CBR Fabrications Limited	CBR Flexifuel Heater	150, 200	Hardwood offcuts, softwood offcuts, chipboard, plastic coated chipboard	SIs
CBR Fabrications Limited	CBR Flexifuel Heater (Models: 300, 400 and 500)	300, 400, 600	Hardwood offcuts, softwood offcuts, chipboard, plastic coated chipboard	SIs
CBR Fabrications Limited	CBR TurboHeat (Models: 200, 300, 400, 500 and 800)	200, 300, 400, 500, 600, 800	Hardwood offcuts, softwood offcuts, chipboard, plastic coated chipboard	SIs
Clearair Limited	Spacewarmer	B200	Hardwood offcuts, softwood offcuts, a mixture of offcuts (hardwood or softwood) and sawdust with no more than 50 % of the mixture being sawdust, chipboard offcuts, plastic coated chipboard offcuts	SIs
Clearair Limited	Spacewarmer	B500	Hardwood offcuts, softwood offcuts	SIs
Clearview Stoves	Clearview	650, 750	Firewood which has been split, stacked and air dried	SIs
Clearview Stoves	The Clearview		Air-dried wood logs.	SIs

	Pioneer 400, Solution 400 and Pioneer Oven wood burning stoves fitted with a tamperproof mechanical stop on the air slide/damper		The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preserved or coatings.	
Clearview Stoves	Vision	500	Firewood which has been split, stacked and air dried	SIs
Cronspisen Produktion AB	Cronspisen stove	five channel chimney system	Firewood that has been split, stacked and air dried	SIs
Dovre Castings Limited	Dovre woodstove	The Dovre woodstove models 500CBW and 700CBW manufactured by Dovre Castings Limited, including those models when referred to by their former reference numbers, 500G and 700G respectively.	Wood	SIs
Dunsley Heat Limited	The Dunsley Yorkshire Multifuel Stove		Untreated dry wood with less than 25% moisture, peat or peat briquettes with less than 25% moisture, Union Coal briquettes manufactured by Rheinbraun AG of Germany, CPL Wildfire manufactured by Coal Products Limited	SIs
Dunsley Heat Limited	The Dunsley Yorkshire Multifuel Stove and Boiler		Untreated dry wood with less than 25% moisture, peat or peat briquettes with less than 25% moisture, Union Coal	SIs

				briquettes manufactured by Rheinbraun AG of Germany, CPL Wildfire manufactured by Coal Products Limited	
Dunsley Heat Limited	The Dunsley Yorkshire Stove			Untreated dry wood with less than 25% moisture, peat or peat briquettes with less than 25% moisture, Union Coal briquettes manufactured by Rheinbraun AG of Germany, CPL Wildfire manufactured by Coal Products Limited	SIs
Dunsley Heat Limited	The Dunsley Yorkshire Woodburning Stove			Untreated dry wood.	SIs
Dunsley Heat Limited	The Dunsley Yorkshire Woodburning Stove and Boiler			Untreated dry wood.	SIs
Edwards Heating Limited	Hughes Edwards	Model 65 hot water boiler		Bituminous Coalflow pearls distributed by the British Coal Corporation	SIs
Erithglen Limited	Corsair boilers (models 300HW, 500HW and 750HW)	300HW, 500HW, 750HW		Not specified	SIs
Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy	The Extraflame Comfort Mini			Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood preservatives or coatings.	SIs
Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy	The Extraflame Idro			Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood preservatives or	SIs

Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy	The Extraflame Lucrezia Idro and Lucrezia Steel		coatings. Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood preservatives or coatings.	SIs
Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy	The Extraflame: Babyfiamma, Bella and Bella Lux, Clementina, Comfort Maxi, Contessa, Divina, Divina Plus and Divina Steel, Duchessa and Duchessa Steel, Ecologica, Esmeralda and Esmeralda Crystal, FalÃ² 1CP, FalÃ² 2CP and FalÃ² 1XP, Isabella, Karolina and		Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood preservatives or coatings.	SIs
Farm 2000 Limited	Farm 2000	HT6 (when used with the HT60cx conversion kit)	Cereal straw	SIs
Farm 2000 Limited	Farm 2000	HT6PLUS and HT600 (when used with the HT70cx conversion kit)	Cereal straw	SIs
Farm 2000 Limited	Farm 2000	HT7and HT8 (when used with the HT80cx conversion kit)	Cereal straw	SIs
Farm 2000 Limited	Farm 2000 boiler	BB154, BB154A and BB154/2 (When used with the Farm 2000 conversion kit)	Cereal straw	SIs

			BB154/2Vcx)	
Farm 2000 Limited	Farm 2000 boilers	BB154/2V	Cereal straw	SIs
Farm 2000 Limited	Farm 2000 boilers	HT60, HT70, HT80	Cereal straw	SIs
Fulgora Stoves limited	Fulgora slow combustion Stove		Wood waste in clean condition	SIs
Glynwed Domestic and Heating Appliances Limited	Rayburn	CB34	Not specified	SIs
Glynwed Domestic and Heating Appliances Limited	Rayburn Coalglo	C-30 (inset free-standing models)	Selected washed coal doubles and trebles (also known as nuts and large nuts)	SIs
Glynwed Domestic and Heating Appliances Limited	Rayburn Prince	101, 301	Selected washed coal singles	SIs
Glynwed Domestic and Heating Appliances Limited	Rayburn Prince	76	Selected washed coal doubles and trebles	SIs
Haat Incineration Limited	Haat Incinerators	LD, MD, HD	Cardboard cartons, scrap wood, foliage, combustible floor sweepings, other waste form domestic, commercial and industrial activities containing <20 % of restaurant and cafeteria waste and <5 wt% coated papers, plastic and rubber waste	SIs
Haat Incineration Limited	Haat Pioneer ABI Incinerators	12, 20, 28, 36	Paper, cardboard, corrugated paper, office or domestic waste, wood, polythene sheet or foam, polypropylene, nylon, polyethylene, rubber foam backed carpet	SIs
Hearth & Home Technologies	The Quadra-Fire 2100 Millennium Freestanding Wood Burning Stove		Dry cured untreated wood of maximum size 38.1cm x 10.16cm x 5.08cm.	SIs
Hearth & Home Technologies	The Quadra-Fire Cumberland		Dry cured untreated wood of maximum size 43.18cm x	SIs

	Gap Freestanding Wood Burning Stove		10.16cm x 10.16cm
Hearth & Home Technologies	The Quadra- Fire Yosemite Freestanding Wood Burning Stove		Dry cured untreated wood of maximum size 38.1cm x 10.16cm x 5.08cm. SIs
HERZ Armaturen Ges.m.b.H, Geschäftsbereich HERZ, Feuerungstechnik, A- 8272 Sebersdorf 138, Austria.	Firematic 25, 50, 90 and 150		Chipped wood, wood pellets, or planed wood shavings. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood preservatives or coatings. SIs
HERZ Armaturen Ges.m.b.H, Geschäftsbereich HERZ, Feuerungstechnik, A- 8272 Sebersdorf 138, Austria.	Biomatic 220 and 250 fitted with Zyklovent 220-250 cyclone separator		Chipped wood, wood pellets, or planed wood shavings. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood preservatives or coatings. SIs
HERZ Armaturen Ges.m.b.H, Geschäftsbereich HERZ, Feuerungstechnik, A- 8272 Sebersdorf 138, Austria.	Biomatic 300, 350, 400 and 500 fitted with Zyklovent 300- 500 cyclone separator		Chipped wood, wood pellets, or planed wood shavings. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood preservatives or coatings. SIs
Holden Heat plc	Holden Heat House underfeed bituminous coal boilers	29.3kw, 45.4kw	Washed coals recommended in the manufacturer's instructions SIs
Hughes Edwards Heating Limited	Hughes Edwards 45 Coalflow Boiler		Washed coals as recommended in the manufacturer's instructions "II/02D/07-89" SIs
HWAM Heat Design AS Nydamsvej 53, 8362 Hårning, Denmark	Hwam Beethoven H (4.5kW nominal thermal output) fitted with		Untreated dry wood. SIs

			mechanism to prevent closure of the air wash/secondary air control	
Ideal Standard and Stelrad Group Limited	Housewarmer			Selected washed coal marketed under the name "Housewarm" by agreement with the National Coal Board SIs
Incinerator Doctor	The I,D,L,M and H incinerators			Paper, cardboard cartons, scrap wood, foliage, combustible floor sweepings, waste from domestic, commercial and industrial activities containing <20 % of restaurant and cafeteria waste and <5 wt% coated papers plastic and rubber waste SIs
Jetmaster Fires Limited	Coalburner Stove	SE60		Not specified SIs
John Hounsell (Engineers) Ltd	Hounsell Sawdust Burning Stove			Wood waste in clean condition SIs
Jotul Limited	Jotul catalyst stove	8TDIC, 12TDIC		Wood SIs
Kakkelovnsmakeriet AS	Jansen Design stove	five channel system		Wood SIs
KWB - Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria	Type USP wood pellet-fired boilers	USP-10, 15, 20, 25 and 30		Wood pellets. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings. SIs
KWB - Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria	Type USV wood pellet- and wood chip-fired boilers	USV-15, 25, 30, 40, 50, 60, 80 and 100		Wood pellets or wood chips. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings. SIs
Mawera (UK) Limited	Mawera Furia	110, 140, 180, 220,		Natural wood or wood products, SIs

		280 and 350	forest residues and forest thinning, melamine coated or uncoated MDF chipboard, plywood and compounds of wood products	
Morsø Jernstøberi A/S, Denmark.	The Morsø Owl 3410, 3420 and 3440 for wood burning		Untreated dry wood which has been split, stacked and air dried; or air dried wood briquettes.	SIs
Morsø Jernstøberi A/S, Denmark	The Morso 3400 Owl GB Series for wood burning	3400 Owl GB Series	Untreated dry wood, which has been split, stacked and air dried or air dried wood briquettes	SIs
NEI International Combustion Limited, Riley Equipment	Riley Nihot Woodchip Fired Air Heater	NM011	Clean wood waste of a size within the limits of the manufacturer's specifications and containing not more than 5 % sander dust	SIs
Nestor Martin, S A Finuick Nv, Voie Axiale 5, B-5660 Couvin, Belgium	The Nestor Martin Stanford Multi-Fuel Stove S13 (3.5kW nominal thermal output), S33 and SP33 (8kW nominal thermal output)		Untreated dry wood.	SIs
Nestor Martin, S A Finuick Nv, Voie Axiale 5, B-5660 Couvin, Belgium.	The Nestor Martin Harmony Multi-Fuel Stove H13 (3.5kW nominal thermal output) and H33 (8kW nominal thermal output)		Untreated dry wood.	SIs
Nestor Martin, S A Finuick Nv, Voie Axiale 5, B-5660 Couvin, Belgium.	The Nestor Martin Multi-fuel Stove IT 13 (3.5kW nominal thermal output)		Untreated dry wood.	SIs
Nestor Martin, S A Finuick Nv, Voie	The Nestor Martin Multi-		Untreated dry wood.	SIs

Axiale 5, B-5660 Couvin, Belgium.	fuel Stove R33 and D33 (8kW nominal thermal output)			
Nestor Martin, S A Finuick Nv, Voie Axiale 5, B-5660 Couvin, Belgium.	The Nestor Martin Stanford Multi-Fuel Stove S13 (6kW nominal thermal output)			Untreated dry wood. SIs
Nordfab A/S and Danstoker A/S	Nordist Waste Fired Systems	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23		Hardwood shaving or SIs sawdust, softwood shaving or sawdust
Northern Incinerators limited	Eclipse incinerators	Junior, Standard, Senior, Junbo 30 and Jumbo 50		Paper, cardboard SIs cartons, scrap wood, foliage, combustible floor sweepings, other waste form domestic, commercial and industrial activities containing <20 % of restaurant and cafeteria waste and <5 wt% coated papers, plastic and rubber waste
Radiation Limited	Solid Fuel Ductair Unit			Not specified SIs
Ranheat Engineering Limited	RanHeat appliances	MSU150, MSU300, MSU500		Chipboard, SIs fibreboard, melamine coated chipboard, wood offcuts, softwood shavings or dust, hardwood shavings or dust
Ranheat Engineering Limited	RanHeat appliances	WA150, WA300, WA500		Chipboard, SIs fibreboard, melamine coated chipboard, wood offcuts, softwood shavings or dust, hardwood shavings or dust
Ranheat Engineering Limited	RanHeat Boiler	RHA 160, RHA 200, RHA 250		Hard wood shavings, SIs soft wood shavings
Ranheat Engineering Limited	RanHeat Boiler	RHA 20		Softwood shavings, SIs hardwood shavings
Reinhart von	The Ozier wood			Untreated dry wood SIs

Zschock	burning stove			
Roscoe Fabrications Limited	Trash X incinerators	TX25, TX35, TX35, TX50, TX35L, TX50L	Paper card, untreated dry wood, cotton waste	SIs
Silent Glow Incinerators Limited	Silent Glow Incinerator	CCD450, CCD600, CCD750	No fuel other than solid waste of the types specified in the manufacturer's Instructions dated May 1989 shall be used	SIs
Spandex Sander Gmbh	Spanex Wood Fired Air Heater	UL50, UL75, UL100	Clean wood waste containing not more than 5 % sander dust and not more than 1 % plastic contamination	SIs
T.I Parkray Limited	Parkray Coalmaster		Selected washed coal marketed under the name "Housewarm" by the National Coal Board	SIs
T.I Parkray Limited	Parkray Coalmaster II	inset free standing models	Not specified	SIs
Talbott's Heating Limited	Talbott 500 Hot-air Heater	afterburn model	Wood off cuts, wood-waste, pellets, chipboard, plastic covered chipboard (the plastic content of the covering being not more than 1 % by weight), cardboard, or paper	SIs
Talbott's Heating Limited	Talbott Pyrojet Heater	P150	Hardwood offcuts, softwood offcuts, chipboard, plastic coated chipboard	SIs
Talbott's Heating Limited	Talbott Pyrojet Heater	P300	Hardwood offcuts, softwood offcuts, chipboard, plastic coated chipboard	SIs
Talbott's Heating Limited	Talbott Pyrojet Heater	P600	Hardwood offcuts, softwood offcuts, chipboard, plastic coated chipboard	SIs
Talbott's Heating Limited	Talbott T5-1M Automatic Heater	T5-1M	Softwood shavings, hardwood shavings, chipboard dust	SIs
Talbott's Heating Limited	Talbott's combustion	C1, C2, C3, C4	Chipboard, wood shavings, forestry	SIs

	unit		chips, paper briquettes	
Talbott's Heating Limited	Talbott's Energy Saving Wood Waste Burning Automatic Warm Air Heaters	T1.5/A, T3/A, T5/A , and TM/A	Hardwood shaving or sawdust, softwood shaving or sawdust	SIs
Talbott's Heating Limited	Talbott's Heating	D250B, D500B, D700B	Hardwood offcuts, softwood offcuts, chipboard, plastic coated chipboard, cardboard	SIs
Talbott's Heating Limited	Talbott's Heating	T75, T150, T300	Wood offcuts, woodwaste pallets, chipboard, plastic coated chipboard, cardboard, paper	SIs
Talbott's Heating Limited	Talbott's Warm Air Heaters Down Firing range	D250, D500, D700	Hardwood offcuts, softwood offcuts, chipboard, plastic coated chipboard, cardboard	SIs
Talbott's Heating Limited	The Talbott's Combustion Units, models	CM1, CM2, CM3, CM4	Woodwaste pallets, medium density fibreboards, melamine, faced chipboard, cardboard, paper, untreated and airdried wood offcuts	SIs
Talbott's Heating Limited	The Talbott's Energy Saving Wood Waste Burning Automatic Hot Water Heaters	T1.5/AB, T3/AB, T5/AB, TM/AB	Hardwood shaving or sawdust, softwood shaving or sawdust	SIs
Town and Country Fires Pickering, North Yorkshire	The Little Thurlow wood burning stove		Seasoned logs of less than 20 per cent moisture and of a maximum length of 350mm. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood preservatives or coatings.	SIs
Trianco Redfyre Limited	Trainco Boiler	Coal King	Selected washed coal doubles	SIs
Trianco Redfyre	Trianco	TGB 17	Not specified	SIs

Limited				
Trianco Redfyre Limited	Triancomatic	T 80	Not specified	SIs
Trianco Redfyre Limited	Triancomatic boiler	60 60	Washed coals recommended in the manufacturer's instructions ref "No. 45574"	SIs
Trianco Redfyre Limited	Triancomatic boiler	140	Washed coals recommended in the manufacturer's instructions	SIs
Trianco Redfyre Limited	Triancomatic boiler	45	Washed coals recommended in the manufacturer's instructions	SIs
Trianco Redfyre Limited	Triancomatic boiler	90	Washed coals recommended in the manufacturer's instructions	SIs
Valoriani	The Orchard Ovens models:	FVR Speciale 80, 100, 110, 110 x 160 and 120; TOP Superiore 100 and 120; GR 100, 120, 140, 120 x 160, 140 x 160, 140 x 180 and 180; OT 100, 120, 140, 120 x 160, 140 x 160, 140 x 180 and 180; the Valoriani Piccolo	Untreated dry wood.	SIs
Vermont Castings Inc	Intrepid II woodstove		16" (400mm) firewood which has been split, stacked and air dried	SIs
Vermont Castings, Inc	Resolute Acclaim woodstove		16" (400mm) firewood which has been split, stacked and air dried	SIs
VWC International Limited	Defiant Encore		Firewood that has been split, stacked and air dried	SIs
Wood Stone Corporation, USA	The Wood Stone Ovens	MS-4-W (Mt. Chuckanut), WS-MS-5-W (Mt Adams),	Untreated dry wood	SIs

		WS-MS-6-W (Mt Baker), WS-MS-7-W (Mt Rainier)		
Wood Waste Technology	The Wood Waste Technology Heater	WT10 and WT15	Hardwood and softwood offcuts. The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood- preservatives or coatings.	SIs
Worcester Engineering Company Limited	Worcester Centair Solid Fuel Warm Air Heater	40	Not specified	SIs
Worcester Engineering Company Limited	Worcester Coalstream 17.5kw underfeed stoker	17.5kw	Washed coals recommended in the manufacturer's instructions ref "ZKLIT 139"	SIs