


This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Gloucestershire County Council, 100019134, (2008).

Project- **GLOUCESTERSHIRE STRATEGIC FLOOD RISK ASSESSMENT**

Tile C1:- **STRATEGIC FLOOD RISK MAP SHOWING FLOODING DUE TO CLIMATE CHANGE  
CHELTENHAM BOROUGH COUNCIL**

Rev.	By	Date	Description

Drawn By :- A J Bryan	Revision -	Drawing Scale :- 1:10,000	Drawing No. :- WB/GLOS/DRAWING - 040
Checked By :- B L Dunn	Status	Sheet No. :- 1 of 5	Date :- 26 March 2008
Approved By :- J R Parkin	FINAL	Plot Scale :- 1:1 @ A1	Issuing Office :- Birmingham



- Legend:-
- Council Boundary
  - Main River Centreline
  - Flood Zone 3a (High Probability)
  - Flood Zone 3b (Functional Floodplain)

**CHELTENHAM**  
Municipal Offices  
Cheltenham  
Gloucestershire  
GL50 9SA

**Halcrow**  
www.halcrow.com  
Lyndon House  
62 Hagley Road  
Edgbaston  
Birmingham  
B16 8PE

**PPS25: Flood Zones Definition**

Flood Zone	Definition	Appropriate uses	FRA requirements	Policy aims
<b>Zone 1 Low Probability</b>	This zone comprises land assessed as having a less than 1 in 1000 annual probability of river or sea flooding in any year (<0.1%).	All uses of land are appropriate in this zone.	For development proposals on sites comprising one hectare or above the vulnerability to flooding from other sources as well as from river and sea flooding, and the potential to increase flood risk elsewhere through the addition of hard surfaces and the effect of the new development on surface water runoff, should be incorporated in a FRA. This need only be met unless the factors above or other local considerations require particular attention. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area and beyond through the layout and form of the development, and the appropriate application of sustainable drainage techniques.
<b>Zone 2 Medium Probability</b>	This zone comprises land assessed as having between a 1 in 100 and 1 in 1000 annual probability of river flooding (1% - 0.1%) or between a 1 in 200 and 1 in 1000 annual probability of sea flooding (0.5% - 0.1%) in any year.	The water-compatible, less vulnerable and more vulnerable uses of land and essential infrastructure in Table D.2 are appropriate in this zone. Subject to the Sequential Test being applied, the highly vulnerable uses in Table D.2 are only appropriate in this zone if the Exception Test (see para. D.3) is passed.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development, and the appropriate application of sustainable drainage techniques.
<b>Zone 3a High Probability</b>	This zone comprises land assessed as having a 1 in 100 or greater annual probability of river flooding (1%) or a 1 in 200 or greater annual probability of flooding from the sea (0.5%) in any year.	The water-compatible and less vulnerable uses of land in Table D.2 are appropriate in this zone. The more vulnerable uses in Table D.2 should not be permitted in this zone. The highly vulnerable uses in Table D.2 should only be permitted in this zone if the Exception Test (see para. D.3) is passed. Essential infrastructure permitted in this zone should be designed and constructed to remain operational and safe for users in times of flood.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and to relocate existing development to land with a lower probability of flooding, and to create space for flooding to occur by restoring functional floodplain and flood flow pathways and by identifying, allocating and safeguarding open space for flood storage.
<b>Zone 3b The Functional Floodplain</b>	This zone comprises land where water has to flow or be stored in times of flood. SFRAs should identify this Flood Zone (land which would flood with an annual probability of 1 in 20) (5%) or greater in any year or is designed to flood in an extreme (0.1%) flood, or at another probability to be agreed between the LPA and the Environment Agency, including water conveyance routes).	Only the water-compatible uses and the essential infrastructure listed in Table D.2 that has to be there should be permitted in this zone. It should be designed and constructed to remain operational and safe for users in times of flood, result in no net loss of floodplain storage, not impede water flow, and not increase flood risk elsewhere. Essential infrastructure in this zone should pass the Exception Test.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and to relocate existing development to land with a lower probability of flooding.

**PPS25: Flood Risk Vulnerability and Flood Zone "Compatibility"**


Flood Risk Vulnerability Classification	Essential Infrastructure	Water Compatible	Highly Vulnerable	More Vulnerable	Less Vulnerable
Zone 1	✓	✓	✓	✓	✓
Zone 2	✓	✓	Exception Test Required	✓	✓
Zone 3a	Exception Test Required	✓	✗	Exception Test Required	✓
Zone 3b (Functional Floodplain)	Exception Test Required	✓	✗	✗	✗

- ✓ : Development is appropriate
- ✗ : Development should not be permitted

**PPS25: Flood Risk Vulnerability Classification**

Essential Infrastructure	Essential transport infrastructure (including mass evacuation routes) which cross the area at risk, and strategic utility infrastructure, including electricity generating power stations and gas and primary substations.
Highly Vulnerable	- Police stations, Ambulance stations and Fire stations and Command Centres and telecommunications installations required to be operational during flooding. - Emergency dispersal points. - Basement dwellings. - Caravans, mobile homes and park homes intended for permanent residential use. - Installations requiring hazardous substances consent, 19.
More Vulnerable	- Hospitals. - Residential institutions such as residential care homes, children's homes, social services homes, prisons and hostels. - Buildings used for dwelling houses, student halls of residence, shopping establishments, nightclubs, and hotels. - Non-residential uses for health services, nurseries and educational establishments. - Landfill and sites used for waste management facilities for hazardous waste (1). - Sites used for holiday or short let caravans and camping, subject to a specific warning and evacuation plan.
Less Vulnerable	- Buildings used for shops, financial, professional and other services, restaurants and cafes, food takeaways, offices, general industry, storage and distribution, non-residential institutions not included in more vulnerable, and assembly and leisure. - Land and buildings used for agriculture and forestry. - Waste treatment (except landfill) and hazardous waste facilities. - Minerals winning and processing (except for sand and gravel working). - Water treatment plants. - Sewage treatment plants (if adequate pollution control measures are in place).
Water-compatible Development	- Flood control infrastructure. - Water transmission infrastructure and pumping stations. - Sewage transmission infrastructure and pumping stations. - Sluice and gate workings. - Docks, marinas and wharves. - Navigation facilities. - MCD defence installations. - Ship building, repairing and dismantling, dockside fish processing and refrigeration and compatible activities requiring a waterside location. - Water-based recreation (excluding sleeping accommodation). - Leisure and coasteast stations. - Amenity open space, nature conservation and biodiversity, outdoor sports and recreation and essential facilities such as changing rooms. - Essential ancillary sleeping or residential accommodation for staff required by uses in this category, subject to a specific warning and evacuation plan.






This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Gloucestershire County Council, 100019134, (2008).

Project- **GLOUCESTERSHIRE STRATEGIC FLOOD RISK ASSESSMENT**

Tile C2- **STRATEGIC FLOOD RISK MAP SHOWING FLOODING DUE TO CLIMATE CHANGE CHELTENHAM BOROUGH COUNCIL**

Key Plan:



Legend:-

- Council Boundary
- Main River Centreline
- Flood Zone 3a (High Probability)
- Flood Zone 3b (Functional Floodplain)

Rev.	By	Date	Description

Drawn By :- A J Bryan	Revision -	Drawing Scale :- 1:10,000	Drawing No. :- WB/GLOS/DRAWING - 040
Checked By :- B L Dunn	Status	Sheet No. :- 2 of 5	Date :- 26 March 2008
Approved By :- J R Parkin	FINAL	Plot Scale :- 1:1 @ A1	Issuing Office :- Birmingham

**PPS25: Flood Zones Definition**

Flood Zone	Definition	Appropriate uses	FRA requirements	Policy aims
<b>Zone 1 Low Probability</b>	This zone comprises land assessed as having a less than 1 in 1000 annual probability of river or sea flooding in any year (<0.1%).	All uses of land are appropriate in this zone.	For development proposals on sites comprising one hectare or above the vulnerability to flooding from other sources as well as from river and sea flooding, and the potential to increase flood risk elsewhere through the action of hard surfaces and the effect of the new development on surface water runoff, should be incorporated in a FRA. This need only be level unless the factors above or other local considerations require particular attention. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area and beyond through the layout and form of the development, and the appropriate application of sustainable drainage techniques.
<b>Zone 2 Medium Probability</b>	This zone comprises land assessed as having between a 1 in 100 and 1 in 1000 annual probability of river flooding (1% - 0.1%) or between a 1 in 200 and 1 in 1000 annual probability of sea flooding (0.5% - 0.1%) in any year.	The water-compatible, less vulnerable and more vulnerable uses of land and essential infrastructure in Table D.2 are appropriate in this zone. Subject to the Sequential Test being applied, the highly vulnerable uses in Table D.2 are only appropriate in this zone if the Exception Test (see para. D.3) is passed.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development, and the appropriate application of sustainable drainage techniques.
<b>Zone 3a High Probability</b>	This zone comprises land assessed as having a 1 in 100 or greater annual probability of river flooding (1%) or a 1 in 200 or greater annual probability of flooding from the sea (0.5%) in any year.	The water-compatible and less vulnerable uses of land in Table D.2 are appropriate in this zone. The highly vulnerable uses in Table D.2 should not be permitted in this zone. The more vulnerable and essential infrastructure uses in Table D.2 should only be permitted in this zone if the Exception Test (see para. D.3) is passed. Essential infrastructure permitted in this zone should be designed and constructed to remain operational and safe for users in times of flood.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques. Essential infrastructure permitted in this zone should be designed and constructed to remain operational and safe for users in times of flood.
<b>Zone 3b The Functional Floodplain</b>	This zone comprises land where water has to flow or be stored in times of flood. SFRAs should identify this Flood Zone (land which would flood with an annual probability of 1 in 20 (5%) or greater in any year or is designed to flood in an extreme (0.1%) flood, or at another probability to be agreed between the LPA and the Environment Agency, including water conveyance routes).	Only the water-compatible uses and the essential infrastructure listed in Table D.2 that has to be there should be permitted in this zone. It should be designed and constructed to remain operational and safe for users in times of flood, result in no net loss of floodplain storage, not impede water flow, and not increase flood risk elsewhere. Essential infrastructure in this zone should pass the Exception Test.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and relocate existing development to land with a lower probability of flooding.

**PPS25: Flood Risk Vulnerability and Flood Zone "Compatibility"**

Flood Risk Vulnerability Classification	Essential Infrastructure	Water Compatible	Highly Vulnerable	More Vulnerable	Less Vulnerable
Zone 1	✓	✓	✓	✓	✓
Zone 2	✓	✓	Exception Test Required	✓	✓
Zone 3a	Exception Test Required	✓	✗	Exception Test Required	✓
Zone 3b (Functional Floodplain)	Exception Test Required	✓	✗	✗	✗

- ✓ : Development is appropriate
- ✗ : Development should not be permitted


**PPS25: Flood Risk Vulnerability Classification**

Essential Infrastructure	Essential transport infrastructure (including mass evacuation routes) which cross the area at risk, and strategic utility infrastructure, including electricity generating power stations and grid and primary substations.
Highly Vulnerable	- Police stations, Ambulance stations and Fire stations and Command Centres and telecommunications installations required to be operational during flooding - Emergency dispersal points - Basement dwellings - Caravans, mobile homes and park homes intended for permanent residential use - Installations requiring hazardous substances consent, 19
More Vulnerable	- Hospitals - Residential institutions such as residential care homes, children's homes, social services homes, prisons and hotels. - Buildings used for dwelling houses, student halls of residence, striking establishments, nightclubs, and hotels. - Non-residential uses for health services, nurseries and educational establishments. - Landfill and sites used for waste management facilities for hazardous waste 20 - Sites used for holiday or short let caravans and camping, subject to a specific warning and evacuation plan.
Less Vulnerable	- Buildings used for shops, financial, professional and other services, restaurants and cafes, hot food takeaways, offices, general industry, storage and distribution, non-essential institutions not included in more vulnerable, and assembly and leisure. - Land and buildings used for agriculture and forestry. - Waste treatment (except landfill) and hazardous waste facilities. - Minerals winning and processing (except for sand and gravel working). - Water treatment plants. - Sewage treatment plants (if adequate pollution control measures are in place).
Water-compatible Development	- Flood control infrastructure - Water transmission infrastructure and pumping stations - Sewage transmission infrastructure and pumping stations. - Sand and gravel workings - Docks, marinas and wharves - Navigation facilities - MFC defence installations. - Ship building, repairing and dismantling, dockside fish processing and refrigeration and compatible activities requiring a waterside location - Water-based recreation (excluding sleeping accommodation) - Leisure and coastal stations - Amenity open space, nature conservation and biodiversity, outdoor sports and recreation and essential facilities such as changing rooms. - Essential ancillary sleeping or residential accommodation for staff required by uses in this category, subject to a specific warning and evacuation plan.

**CHELTENHAM**  
Municipal Offices  
Cheltenham  
Gloucestershire  
GL50 9SA

**Halcrow**  
www.halcrow.com  
Lyndon House  
62 Hagley Road  
Edgbaston  
Birmingham  
B16 9PE





**PPS25: Flood Zones Definition**

Zone 1 Low Probability
<b>Definition</b> This zone comprises land assessed as having a less than 1 in 1000 annual probability of river or sea flooding in any year (<0.1%).
<b>Appropriate uses</b> All uses of land are appropriate in this zone.
<b>FRA requirements</b> For development proposals on sites comprising one hectare or above the vulnerability to flooding from other sources as well as from river and sea flooding, and the potential to increase flood risk elsewhere through the addition of hard surfaces and the effect of the new development on surface water runoff, should be incorporated in a FRA. This need only be met unless the factors above or other local considerations require particular attention. See Annex E for minimum requirements.
<b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area and beyond through the layout and form of the development, and the appropriate application of sustainable drainage techniques.
Zone 2 Medium Probability
<b>Definition</b> This zone comprises land assessed as having between a 1 in 100 and 1 in 1000 annual probability of river flooding (1% - 0.1%) or between a 1 in 200 and 1 in 1000 annual probability of sea flooding (0.5% - 0.1%) in any year.
<b>Appropriate uses</b> The water-compatible, less vulnerable and more vulnerable uses of land and essential infrastructure in Table D.2 are appropriate in this zone. Subject to the Sequential Test being applied, the highly vulnerable uses in Table D.2 are only appropriate in this zone if the Exception Test (see page D.3) is passed.
<b>FRA requirements</b> All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.
<b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development, and the appropriate application of sustainable drainage techniques.
Zone 3a High Probability
<b>Definition</b> This zone comprises land assessed as having a 1 in 100 or greater annual probability of river flooding (1%) or a 1 in 200 or greater annual probability of flooding from the sea (0.5%) in any year.
<b>Appropriate uses</b> The water-compatible and less vulnerable uses of land in Table D.2 are appropriate in this zone. The highly vulnerable uses in Table D.2 should not be permitted in this zone. The more vulnerable and essential infrastructure uses in Table D.2 should only be permitted in this zone if the Exception Test (see page D.3) is passed. Essential infrastructure permitted in this zone should be designed and constructed to remain operational and safe for users in times of flood.
<b>FRA requirements</b> All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.
<b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques. Essential infrastructure permitted in this zone should be designed and constructed to remain operational and safe for users in times of flood.
<b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and to create space for flooding to occur by restoring functional floodplain and flood flow pathways and by identifying, allocating and safeguarding open space for flood storage.
Zone 3b The Functional Floodplain
<b>Definition</b> This zone comprises land where water has to flow or be stored in times of flood. SFRAs should identify this Flood Zone (and which would flood with an annual probability of 1 in 20 (5%) or greater in any year or is designed to flood in an extreme (0.1%) flood, or at another probability to be agreed between the LPA and the Environment Agency, including water conveyance routes).
<b>Appropriate uses</b> Only the water-compatible uses and the essential infrastructure listed in Table D.2 that has to be there should be permitted in this zone. It should be designed and constructed to remain operational and safe for users in times of flood, result in no net loss of floodplain storage, not impede water flow, and not increase flood risk elsewhere. Essential infrastructure in this zone should pass the Exception Test.
<b>FRA requirements</b> All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.
<b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and to relocate existing development to land with a lower probability of flooding.

**PPS25: Flood Risk Vulnerability and Flood Zone "Compatibility"**

Flood Risk Vulnerability Classification	Essential Infrastructure	Water Compatible	Highly Vulnerable	More Vulnerable	Less Vulnerable
Zone 1	✓	✓	✓	✓	✓
Zone 2	✓	✓	Exception Test Required	✓	✓
Zone 3a	Exception Test Required	✓	✗	Exception Test Required	✓
Zone 3b (Functional Floodplain)	Exception Test Required	✓	✗	✗	✗

✓ : Development is appropriate  
✗ : Development should not be permitted

**PPS25: Flood Risk Vulnerability Classification**

Essential Infrastructure	- Essential transport infrastructure (including mass evacuation routes) which cross the area at risk, and strategically important infrastructure, including electricity generating power stations and gas and primary substations.
Highly Vulnerable	- Police stations, Ambulance stations and Fire stations and Command Centres and telecommunications installations required to be operational during flooding. - Emergency dispersal points. - Basement dwellings. - Caravans, mobile homes and park homes intended for permanent residential use. - Installations requiring hazardous substances consent 19.
More Vulnerable	- Hospitals. - Residential institutions such as residential care homes, children's homes, social services homes, prisons and hotels. - Buildings used for dwelling houses, student halls of residence, shopping establishments, nightclubs, and hotels. - Non-residential uses for health services, nurseries and educational establishments. - Landfill and sites used for waste management facilities for hazardous waste 20. - Sites used for holiday or short let caravans and camping, subject to a specific warning and evacuation plan.
Less Vulnerable	- Buildings used for shops, financial, professional and other services, restaurants and cafes, food takeaways, offices, general industry, storage and distribution, non-residential institutions not included in 'more vulnerable', and assembly and leisure. - Land and buildings used for agriculture and forestry. - Waste treatment (except landfill) and hazardous waste facilities. - Minerals working and processing (except for sand and gravel working). - Water treatment plants. - Sewage treatment plants (if adequate pollution control measures are in place).
Water-compatible Development	- Flood control infrastructure. - Water transmission infrastructure and pumping stations. - Sewage transmission infrastructure and pumping stations. - Sand and gravel workings. - Docks, marinas and wharves. - Navigation facilities. - MCC defence installations. - Ship building, repairing and dismantling, dockside fish processing and refrigeration and compatible activities requiring a waterside location. - Water based recreation (excluding sleeping accommodation). - Leisure and coasteast stations. - Amenity open space, nature conservation and biodiversity, outdoor sports and recreation and essential facilities such as changing rooms. - Essential ancillary sleeping or residential accommodation for staff required by uses in this category, subject to a specific warning and evacuation plan.

This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Gloucestershire County Council, 100019134, (2008).


Project- **GLOUCESTERSHIRE STRATEGIC FLOOD RISK ASSESSMENT**

Tile C3:- **STRATEGIC FLOOD RISK MAP SHOWING FLOODING DUE TO CLIMATE CHANGE CHELTENHAM BOROUGH COUNCIL**

Rev.	By	Date	Description

Drawing Scale :- 1:10,000  
 Sheet No. :- 3 of 5  
 Plot Scale :- 1:1 @ A1  
 Drawing No. :- WB/GLOS/DRAWING - 040  
 Date :- 26 March 2008  
 Issuing Office :- Birmingham

Key Plan:




Legend:-

- Council Boundary
- Main River Centreline
- Flood Zone 3a (High Probability)
- Flood Zone 3b (Functional Floodplain)

Drawn By :- A J Bryan	Revision :-	Drawing Scale :- 1:10,000	Drawing No. :- WB/GLOS/DRAWING - 040
Checked By :- B L Dunn	Status :- FINAL	Sheet No. :- 3 of 5	Date :- 26 March 2008
Approved By :- J R Parkin		Plot Scale :- 1:1 @ A1	Issuing Office :- Birmingham

Municipal Offices  
 Cheltenham  
 Gloucestershire  
 GL50 9SA  
  
 www.halcrow.com  
 Lyndon House  
 62 Hagley Road  
 Edgbaston  
 Birmingham  
 B16 9PE






This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Gloucestershire County Council, 100019134, (2008).

Project- **GLOUCESTERSHIRE STRATEGIC FLOOD RISK ASSESSMENT**

Tile C4:- **STRATEGIC FLOOD RISK MAP SHOWING FLOODING DUE TO CLIMATE CHANGE  
CHELTENHAM BOROUGH COUNCIL**

Drawn By :- A J Bryan	Revision -	Drawing Scale :- 1:10,000	Drawing No. :- WB/GLOS/DRAWING - 040
Checked By :- B L Dunn	Status	Sheet No. :- 4 of 5	Date :- 26 March 2008
Approved By :- J R Parkin	<b>FINAL</b>	Plot Scale :- 1:1 @ A1	Issuing Office :- Birmingham

Key Plan:



Legend:-

- Council Boundary
- Main River Centreline
- Flood Zone 3a (High Probability)
- Flood Zone 3b (Functional Floodplain)

**PPS25: Flood Zones Definition**

<p><b>Zone 1 Low Probability</b></p> <p><b>Definition</b> This zone comprises land assessed as having a less than 1 in 1000 annual probability of river or sea flooding in any year (&lt;0.1%).</p> <p><b>Appropriate uses</b> All uses of land are appropriate in this zone.</p> <p><b>FRA requirements</b> For development proposals on sites comprising one hectare or above the vulnerability to flooding from other sources as well as from river and sea flooding, and the potential to increase flood risk elsewhere through the addition of hard surfaces and the effect of the new development on surface water runoff, should be incorporated in a FRA. This need only be met unless the factors above or other local considerations require particular attention. See Annex E for minimum requirements.</p> <p><b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk on the area and beyond through the layout and form of the development, and the appropriate application of sustainable drainage techniques.</p>
<p><b>Zone 2 Medium Probability</b></p> <p><b>Definition</b> This zone comprises land assessed as having between a 1 in 100 and 1 in 1000 annual probability of river flooding (1% - 0.1%) or between a 1 in 200 and 1 in 1000 annual probability of sea flooding (0.5% - 0.1%) in any year.</p> <p><b>Appropriate uses</b> The water-compatible, less vulnerable and more vulnerable uses of land and essential infrastructure in Table D.2 are appropriate in this zone. The highly vulnerable uses in Table D.2 are only appropriate in this zone if the Exception Test (see para. D.2.3) is passed.</p> <p><b>FRA requirements</b> All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.</p> <p><b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk on the area and beyond through the layout and form of the development, and the appropriate application of sustainable drainage techniques.</p>
<p><b>Zone 3a High Probability</b></p> <p><b>Definition</b> This zone comprises land assessed as having a 1 in 100 or greater annual probability of river flooding (1%) or a 1 in 200 or greater annual probability of flooding from the sea (0.5%) in any year.</p> <p><b>Appropriate uses</b> The water-compatible and less vulnerable uses of land in Table D.2 are appropriate in this zone. The highly vulnerable uses in Table D.2 should not be permitted in this zone. The more vulnerable and essential infrastructure uses in Table D.2 should only be permitted in this zone if the Exception Test (see para. D.2.3) is passed. Essential infrastructure permitted in this zone should be designed and constructed to remain operational and safe for users in times of flood.</p> <p><b>FRA requirements</b> All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.</p> <p><b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and to create space for flooding to occur by restoring functional floodplain and flood flow pathways and by identifying, allocating and safeguarding open space for flood storage.</p>
<p><b>Zone 3b The Functional Floodplain</b></p> <p><b>Definition</b> This zone comprises land where water has to flow or be stored in times of flood. SFRAs should identify this Flood Zone (land which would flood with an annual probability of 1 in 20 (5%) or greater in any year or is designed to flood in an extreme (0.1%) flood, or at another probability to be agreed between the LPA and the Environment Agency, including water conveyance routes).</p> <p><b>Appropriate uses</b> Only the water-compatible uses and the essential infrastructure listed in Table D.2 that has to be there should be permitted in this zone. It should be designed and constructed to remain operational and safe for users in times of flood, result in no net loss of floodplain storage, not impede water flow, and not increase flood risk elsewhere. Essential infrastructure in this zone should pass the Exception Test.</p> <p><b>FRA requirements</b> All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.</p> <p><b>Policy aims</b> In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and to relocate existing development to land with a lower probability of flooding.</p>

**PPS25: Flood Risk Vulnerability and Flood Zone "Compatibility"**

Flood Risk Vulnerability Classification	Essential Infrastructure	Water Compatible	Highly Vulnerable	More Vulnerable	Less Vulnerable
Zone 1	✓	✓	✓	✓	✓
Zone 2	✓	✓	Exception Test Required	✓	✓
Zone 3a	Exception Test Required	✓	✗	Exception Test Required	✓
Zone 3b (Functional Floodplain)	Exception Test Required	✓	✗	✗	✗

- ✓ : Development is appropriate
- ✗ : Development should not be permitted


**PPS25: Flood Risk Vulnerability Classification**

Essential Infrastructure	- Essential transport infrastructure (including mass evacuation routes) which has to cross the area at risk, and strategic utility infrastructure, including electricity generating power stations and gas and primary substations.
Highly Vulnerable	- Police stations, Ambulance stations and Fire stations and Command Centres and telecommunications installations required to be operational during flooding. - Emergency dispersal points. - Basement dwellings. - Caravans, mobile homes and park homes intended for permanent residential use. - Installations requiring hazardous substances consent 19.
More Vulnerable	- Hospitals. - Residential institutions such as residential care homes, children's homes, social services homes, prisons and hostels. - Buildings used for dwelling houses, student halls of residence, shopping establishments, nightclubs, and hotels. - Non-residential uses for health services, nurseries and educational establishments. - Landfill and sites used for waste management facilities for hazardous waste 20. - Sites used for holiday or short let caravans and camping, subject to a specific warning and evacuation plan.
Less Vulnerable	- Buildings used for shops, financial, professional and other services, restaurants and cafes, food takeaways, offices, general industry, storage and distribution non-essential installations not included in 'more vulnerable', and assembly and leisure. - Land and buildings used for agriculture and forestry. - Waste treatment (except landfill and hazardous waste facilities). - Minerals working and processing (except for sand and gravel working). - Water treatment plants. - Sewage treatment plants (if adequate pollution control measures are in place).
Water-compatible Development	- Flood control infrastructure. - Water transmission infrastructure and pumping stations. - Sewage transmission infrastructure and pumping stations. - Sluice and gate workings. - Docks, marinas and wharves. - Navigation facilities. - MCD defence installations. - Ship building, repairing and dismantling, dockside fish processing and refrigeration and compatible activities requiring a waterside location. - Water-based recreation (excluding sleeping accommodation). - Leisure and coasteering stations. - Amenity open space, nature conservation and biodiversity, outdoor sports and recreation and essential facilities such as changing rooms. - Essential ancillary sleeping or residential accommodation for staff required by uses in this category, subject to a specific warning and evacuation plan.

**CHELTENHAM**  
Municipal Offices  
Cheltenham  
Gloucestershire  
GL50 9SA

**Halcrow**  
www.halcrow.com  
Lyndon House  
62 Hagley Road  
Edgbaston  
Birmingham  
B16 9PE





This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Gloucestershire County Council, 100019134, (2008).


Project- **GLOUCESTERSHIRE STRATEGIC FLOOD RISK ASSESSMENT**

Tile C5:- **STRATEGIC FLOOD RISK MAP SHOWING FLOODING DUE TO CLIMATE CHANGE  
CHELTENHAM BOROUGH COUNCIL**

Rev.	By	Date	Description

Drawn By :- A J Bryan	Revision -	Drawing Scale :- 1:10,000	Drawing No. :- WB/GLOS/DRAWING - 040
Checked By :- B L Dunn	Status	Sheet No. :- 5 of 5	Date :- 26 March 2008
Approved By :- J R Parkin	FINAL	Plot Scale :- 1:1 @ A1	Issuing Office :- Birmingham

Key Plan:



Legend:-

- Council Boundary
- Main River Centreline
- Flood Zone 3a (High Probability)
- Flood Zone 3b (Functional Floodplain)

**PPS25: Flood Zones Definition**

Flood Zone	Definition	Appropriate uses	FRA requirements	Policy aims
<b>Zone 1 Low Probability</b>	This zone comprises land assessed as having a less than 1 in 1000 annual probability of river or sea flooding in any year (<0.1%).	All uses of land are appropriate in this zone.	For development proposals on sites comprising one hectare or above the vulnerability to flooding from other sources as well as from river and sea flooding, and the potential to increase flood risk elsewhere through the addition of hard surfaces and the effect of the new development on surface water runoff, should be incorporated in a FRA. This need only be level unless the factors above or other local considerations require particular attention. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area and beyond through the layout and form of the development, and the appropriate application of sustainable drainage techniques.
<b>Zone 2 Medium Probability</b>	This zone comprises land assessed as having between a 1 in 100 and 1 in 1000 annual probability of river flooding (1% - 0.1%) or between a 1 in 200 and 1 in 1000 annual probability of sea flooding (0.5% - 0.1%) in any year.	The water-compatible, less vulnerable and more vulnerable uses of land and essential infrastructure in Table D.2 are appropriate in this zone. Subject to the Sequential Test being applied, the highly vulnerable uses in Table D.2 are only appropriate in this zone if the Exception Test (see para. D.3) is passed.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development, and the appropriate application of sustainable drainage techniques.
<b>Zone 3a High Probability</b>	This zone comprises land assessed as having a 1 in 100 or greater annual probability of river flooding (1% or greater) or a 1 in 200 or greater annual probability of flooding from the sea (0.5% or greater) in any year.	The water-compatible and less vulnerable uses of land in Table D.2 are appropriate in this zone. The highly vulnerable uses in Table D.2 should not be permitted in this zone. The more vulnerable and essential infrastructure uses in Table D.2 should only be permitted in this zone if the Exception Test (see para. D.3) is passed. Essential infrastructure permitted in this zone should be designed and constructed to remain operational and safe for users in times of flood.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and to: <ul style="list-style-type: none"> <li>i. relocate existing development to land in zones with a lower probability of flooding; and</li> <li>ii. create space for flooding to occur by restoring functional floodplain and flood flow pathways and by identifying, allocating and safeguarding open space for flood storage.</li> </ul>
<b>Zone 3b The Functional Floodplain</b>	This zone comprises land where water has to flow or be stored in times of flood. SFRAs should identify this Flood Zone (land which would flood with an annual probability of 1 in 20 (5%) or greater in any year or is designed to flood in an extreme (0.1%) flood, or at another probability to be agreed between the LPA and the Environment Agency, including water conveyance routes).	Only the water-compatible uses and the essential infrastructure listed in Table D.2 that has to be there should be permitted in this zone. It should be designed and constructed to remain operational and safe for users in times of flood, result in no net loss of floodplain storage, not impede water flow, and not increase flood risk elsewhere. Essential infrastructure in this zone should pass the Exception Test.	All development proposals in this zone should be accompanied by a FRA. See Annex E for minimum requirements.	In this zone, developers and local authorities should seek opportunities to reduce the overall level of flood risk in the area through the layout and form of the development and the appropriate application of sustainable drainage techniques, and to relocate existing development to land with a lower probability of flooding.

**PPS25: Flood Risk Vulnerability and Flood Zone "Compatibility"**

Flood Risk Vulnerability Classification	Essential Infrastructure	Water Compatible	Highly Vulnerable	More Vulnerable	Less Vulnerable
Zone 1	✓	✓	✓	✓	✓
Zone 2	✓	✓	Exception Test Required	✓	✓
Zone 3a	Exception Test Required	✓	✗	Exception Test Required	✓
Zone 3b (Functional Floodplain)	Exception Test Required	✓	✗	✗	✗

- ✓ : Development is appropriate
- ✗ : Development should not be permitted

**PPS25: Flood Risk Vulnerability Classification**

Essential Infrastructure	- Essential transport infrastructure (including mass evacuation routes) which has to cross the area at risk, and strategic utility infrastructure, including electricity generating power stations and gas and primary substations.
Highly Vulnerable	- Police stations, Ambulance stations and Fire stations and Command Centres and telecommunications installations required to be operational during flooding. - Emergency dispersal points. - Basement dwellings. - Caravans, mobile homes and park homes intended for permanent residential use. - Installations requiring hazardous substances consent, 19.
More Vulnerable	- Hospitals. - Residential institutions such as residential care homes, children's homes, social services homes, prisons and hotels. - Buildings used for dwelling houses, student halls of residence, shopping establishments, nightclubs, and hotels. - Non-residential uses for health services, nurseries and educational establishments. - Landfill and sites used for waste management facilities for hazardous waste (1). - Sites used for holiday or short-term caravans and camping, subject to a specific warning and evacuation plan.
Less Vulnerable	- Buildings used for shops, financial, professional and other services, restaurants and cafes, hot food takeaways, offices, general industry, storage and distribution, non-essential installations not included in more vulnerable, and assembly and leisure. - Land and buildings used for agriculture and forestry. - Waste treatment (except landfill) and hazardous waste facilities. - Minerals winning and processing (except for sand and gravel working). - Water treatment plants. - Sewage treatment plants (if adequate pollution control measures are in place).
Water-compatible Development	- Flood control infrastructure. - Water transmission infrastructure and pumping stations. - Sewage transmission infrastructure and pumping stations. - Sand and gravel workings. - Docks, marinas and wharves. - Navigation facilities. - MCA defence installations. - Ship building, repairing and dismantling, dockside fish processing and refrigeration and compatible activities requiring a waterside location. - Water-based recreation (excluding sleeping accommodation). - Leisure and coastguard stations. - Amenity open space, nature conservation and biodiversity, outdoor sports and recreation and essential facilities such as changing rooms. - Essential ancillary sleeping or residential accommodation for staff required by uses in this category, subject to a specific warning and evacuation plan.

**CHELTENHAM**  
Municipal Offices  
Cheltenham  
Gloucestershire  
GL50 9SA

**Halcrow**  
www.halcrow.com  
Lyndon House  
62 Hagley Road  
Edgbaston  
Birmingham  
B16 9PE